

Assessment/Screening Tools

SCREENING TOOLS

- [SAMHSA-HRSA Center for Integrated Health Solutions](#)
- [CAGE-AID](#) CAGE Adapted to Include Drugs
- [GAD-7](#) Generalized Anxiety Disorder Scale -7
- [PHQ-9](#) Patient Health Questionnaire-9
- [TICS](#) Two Item Conjoint Screen

Screening Tool	Substance type		Patient age		How tool is administered	
	Alcohol	Drugs	Adults	Adolescents	Self-administered	Clinician-administered
Prescreen						
NIDA Drug Use Screening Tool: Quick Screen	X	X	X	See APA Adapted NM ASSIST tools	See APA Adapted NM ASSIST tools	X
CRAFFT (Part A)	X	X		X	X	X
Alcohol Use Disorders Identification Test-C (AUDIT-C (PDF, 41KB))	X		X		X	X
Opioid Risk Tool (PDF, 168KB)		X	X		X	

Full Screens

<u>NIDA Drug Use Screening Tool</u>	X	X	X			X
Alcohol Use Disorders Identification Test (<u>AUDIT (PDF, 233KB)</u>)	X		X			X
<u>CAGE-AID (PDF, 659KB)</u>	X	X	X			X
<u>CAGE (PDF, 659KB)</u>	X		X			X
Drug Abuse Screen Test (<u>DAST-10 (PDF, 168KB)</u>)		X	X		X	X
<u>CRAFFT</u>	X	X		X	X	X
<u>DAST-20: Adolescent version (PDF 1.2MB)</u>		X		X	X	X

LINK:

<http://www.drugabuse.gov/nidamed-medical-health-professionals/tool-resources-your-practice/screening-assessment-drug-testing-resources/chart-evidence-based-screening-tools-adults>

Clinician's Screening Tool for Drug Use in General Medical Settings*



In the past year, how often have you used the following?

Alcohol (For men, 5 or more drinks a day. For women, 4 or more drinks a day)

Never Once or Twice Monthly Weekly Daily or Almost Daily

Tobacco Products

Never Once or Twice Monthly Weekly Daily or Almost Daily

Prescription Drugs for Non-Medical Reasons

Never Once or Twice Monthly Weekly Daily or Almost Daily

Illegal Drugs

Never Once or Twice Monthly Weekly Daily or Almost Daily

◀ Back

Next ▶