

Reference List ACMT Chemical Agents of Opportunity Course

Introduction/Overview

1. Toxic Event: The Union National Library of Medicine ChemIdLite Site (choose by chemical; access to databases): <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
2. EPA's Acute Exposure Guideline Levels (AEGL) Definitions: <http://earth1.epa.gov/oppt/aegl/pubs/define.htm>
3. AEGL List of Chemicals: <http://earth1.epa.gov/oppt/aegl/pubs/chemlist.htm>
4. ATSDR ToxFAQs (choose by chemical): <http://www.atsdr.cdc.gov/toxfaq.html>
5. ATSDR Medical Management Guidelines: <http://www.atsdr.cdc.gov/MHMI/mmg.html#bookmark03>
6. EPA's High Production Volume Information System (characterizing chemicals produced or imported at > 1 million pounds): <http://www.epa.gov/hpvis/>
7. National Transportation Safety Board Accident Reports (Railroad – input crash): http://www.nts.gov/Publictn/R_Acc.htm
8. Chemical Safety and Hazard Investigation Board (listing of chemical company events and investigations): <http://www.chemsafety.gov/>

Neurotoxicology

1. Wax PM, et al. Unexpected "gas" casualties in Moscow: a medical toxicology perspective. *Ann Emerg Med* 2003;41:700-5.
2. Lakoski JM, et al. The advantages and limitations of calmatives for use as a non-lethal technique. nldt2.arl.psu.edu/documents/calamative_report.pdf
3. Centers for Disease Control and Prevention (CDC). Poisoning by an illegally imported Chinese rodenticide containing tetramethylenedisulfotetramine--New York City, 2002. *MMWR* 2003 Mar 14;52(10):199-201.

Toxic Gases

1. Muller, R. A Significant Carbide Pesticide Plant Disaster in Bhopal, India, 1984.
2. Anderson N (1989) Long-term effects of methyl isocyanate. *The Lancet*, June 3, p.1259.
3. Cullinan P, et al. (1997) Respiratory morbidity 10 years after the Union Carbide gas leak at Bhopal: a Cross Sectional Survey, *BMJ* 314:338-43.
4. Garner P (1997) Commentary: Industry can damage your health. *BMJ* 311:342.
5. Jackson B (1993) Disaster at Bhopal. Report by retired Vice President, Health, Safety and Environmental Programs, Union Carbide Corporation.
6. Koplan J, et al. (1990) Public health lessons from the Bhopal chemical disaster. *JAMA* 264:2795-96.
7. McFarlane A (1986) Implications for disaster planners and emergency services. *MJA* 145:561-63.
8. Mehta P, et al. (1990) Bhopal tragedy's health effects, a review of methyl isocyanate toxicity. *JAMA* 264:2781-2787.
9. Moeller D (1992) *Environmental Health*. Harvard University Press, Boston.

Cyanide and Fumigants

1. Sperry P. Al-Qaida terrorists to gas US subways? DHS memo warns of device that uses cyanide to asphyxiate its victims. WorldNetDaily, 25 November 2003.
2. Burgess JL, Morissey B, Robertson WO. Fumigant related illnesses: Washington State's five year experience. *J Toxicol Clin Toxicol* 1998; 36(5):465 (abstract).
3. Hostledge CP, Isom GE, Kirk MA. Cyanide and Hydrogen Sulfide. Goldrank's Toxicologic Emergencies 8th ed. Flomenbaum, Goldfrank, Hoffman, Howland, Lewin and Nelson eds. McGraw-Hill NY 2006.
4. Peddy SB, Rigby MR, Shaffner DH. Acute cyanide poisoning. *Pediatr Crit Care* 2006;7(1): 79-82.
5. Pham JC, Huang DT, McGeorge FT and Rivers EP. Clarification of cyanide's effect on oxygen transport characteristics in a canine model. *Emerg Med* 2007; 23:152-156.
6. Gonzalez ER. Cyanide evades some noses overpowers others. *JAMA* 1982;248(18):2211.
7. Johnson RP, Mellors JW. Arteriolization of venous blood gases: a clue to the diagnosis of cyanide poisoning. *J Emerg Med* 1988; 6:401-404.
8. Baud FJ, Barriot P, Toffis V et al. Elevated blood cyanide concentrations in victims of smoke inhalation. *NEJM* 1991;325:1761-1766.
9. New drug to treat cyanide poisoning. *FDA Consum* 2007;41(2):6-7.
10. Dart RC. Hydroxocobalamin for acute cyanide poisoning new data from preclinical and clinical studies;new results from the prehospital setting. *Clin Toxicol* 2006;44 Suppl 1:1-3.
11. Lee J, Mukai D, Kreuter K et al. Potential interference by hydroxocobalamin on cooximetry hemoglobin measurements during cyanide and smoke inhalation treatments. *Ann Emerg Med* 2007;49(6):814-6.
12. Scheuerman EH. Suicide by exposure to sulfurylfluoride. *J Forensic Sci* 1986;31:1154-1158.
13. Palatnick W, Tennebein M. Methyl bromide poisoning treated with hemodialysis. *J Toxicol Clin Toxicol* 1998; 36(5):464 (abstract).
14. Burgess JL. Phosphine exposure from a methamphetamine lab investigation. *J Toxicol Clin Toxicol* 2000; 38(5):547 (abstract).
15. Salem H, Olajos EJ, Katz SA. Riot-Control Agents. *Chemical Warfare Agents: Toxicity at Low Levels* 1st ed. Somani and Romano eds. CRC Press NY 2001.
16. CDC. Illness associated with drift of chloropicrin soil fumigant into residential area- Kern County, California. *MMWR Morb Mortal Wkly Rep* 2004; 53(32):740-742.
17. Prudhomme JC, Bhatia R, Nutik JM, Shusterman DJ. Chest wall pain and possible rhabdomyolysis after chloropicrin exposure. A case series. *J Occup Environ Med*, 1999;41(1):17-22.

Food, Water, and Medications as Vehicles for Toxic Terrorism

1. Clark: *J Contingencies Crisis Management* 2000
2. Potential Contamination Due to Cross-connections and Backflow and Associated Health Risks. Issue Paper US EPA OGW & DW Aug 2002
3. Hass (1999)
4. Denileon GP, et al The Who, What, Why and How of Counter Terrorism Issues. *JAWWA Journal of the American Water Works Association* 94:88-96 (2001)
5. Krouse: *Opflow* 2001

6. Patricia L. Meinhardt, MD, MPH, MA, Author; www.waterhealthconnection.org; Physician Preparedness for Acts of Water Terrorism
7. www.FDA.gov (Center for Food Safety & Applied Nutrition)
8. www.USDA.gov (Food and Nutrition)
9. JAMA 285;8 02/20/01 Botulism Toxin as a Biological Weapon; Arnon, Stephen S, et al, 1059-70
10. Proceedings of the National Academy of Science, 2005. Analyzing a bioterror attack on the food supply: The case of botulinum toxin in milk. Wein LW, Liu Y
11. www.FDFA.org - Pasteurization: Definition & Methods
12. Clinical case, interpersonal terrorism, but shows effects J Toxicol Clin Toxicol 1994; 32 (6) 723-30.

Delayed Onset Chemical Toxins

1. Meggs WJ, Hoffman RS, Shih RD, Weisman RS, Goldfrank LR. Thallium poisoning from maliciously contaminated food. J Toxicol Clin Toxicol. 1994;32(6):723-30.
2. Nierenberg DW, Nordgren RE, Chang MB, et al. Delayed cerebellar disease and death after accidental exposure to dimethylmercury. NEJM 1998;338(23):1672-6.
3. Schechter A, Birnbaum L, Ryan JJ, Constable JD. Dioxins: an overview. Environ Res 2006;101(3):419-28.

Post-Event Medical Monitoring

1. The National Academy of Sciences Report on Biomonitoring, July 2006: <http://newton.nap.edu/catalog/11700.html>
2. CDC/NCEH National Report on Human Exposure to Environmental Chemicals <http://www.cdc.gov/exposurereport/> (annotation: Stringent laboratory science with descriptive and some risk-based interpretation).
3. California Environmental Contaminant Biomonitoring Program <http://www.calepa.ca.gov/Legislation/2006/SB1379.pdf> (annotation: Revised to incorporate risk communication).
4. Environmental Working Group <http://www.ewg.org/bodyburden/> (annotation: "Nice" website with no information for comparison/interpretation).
5. Ohbu S, Yamashina A, Takasu N, Yamaguchi T, Murai T, et al. Sarin poisoning on Tokyo subway. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9191733&dopt=Abstract
6. "The Radiological Accident in Goiania," International Atomic Energy Agency, Vienna, 1988. Available online at: http://www-pub.iaea.org/MTCD/publications/PDF/Pub815_web.pdf.
7. Warner M, Eskenazi B, Mocarelli P, Gerthoux PM, Samuels S, Needham L, et al. Serum dioxin concentrations and breast cancer risk in the Seveso Women's Health Study. Environ Health Perspect 2002;110: 625-628.
8. Warner M, Samuels S, Mocarelli P, Gerthoux PM, Needham L, Patterson DG Jr, et al. Serum dioxin concentrations and age at menarche. Environ Health Perspect 2004; 112: 1289-1292.

9. Bertazzi PA, Consonni D, Bachetti S, Rubagotti M, Baccarelli A, et al. Health Effects of Dioxin Exposure: A 20-Year Mortality Study. *Am J Epidemiol* 2001;153(11) : 1031-1044.
<http://www.mindfully.org/Pesticide/Dioxin-Health-Effects-Bertazzi-1jun01.htm>
10. Lyons RA, Temple JM, Evans D, Fone DL, Palmer SR. Acute health effects of the Sea Empress oil spill. *J Epidem Commun Health* 1999;

Blast and Burns

1. DePalma RG, Burris DG, Champion HR, Hodgson MJ. Blast injuries. *N Engl J Med*. 2005 Mar 31;352(13):1335-42. PMID: 15800229
2. Barnard E, Johnston A. Images in clinical medicine. Blast lung. *N Engl J Med*. 2013 Mar 14;368(11):1045. doi: 10.1056/NEJMicm1203842. No abstract available. PMID: 23484831
3. Kearns RD, Cairns CB, Holmes JH 4th, Rich PB, Cairns BA. Thermal burn care: a review of best practices. What should prehospital providers do for these patients? *EMS World*. 2013 Jan;42(1):43-51. PMID: 23393776

Psychological Response to Mass Poisoning

1. Boss LP. Epidemic hysteria: a review of the published literature. *Epidemiologic Reviews*. 1997;19(2):233-243.
2. Ali-Gombe A, Guthrie E, McDermott N. Mass hysteria: One syndrome or two? *British Journal of Psychiatry*. May 1996;168(5):663-665.
3. Bartholomew R. Mass hysteria.[comment]. *British Journal of Psychiatry*. 1997;170:387-388.
4. Benedek D, Holloway H, Becker S. Emergency mental health management of bioterrorism events. *Emerg Med Clin N Am*. 2002;20:1-15.
5. Black D, Welch F, Murray V. Mass psychogenic illness attributed to toxic exposure at a high school [letter]. *New England Journal of Medicine*. 2000;342(22):1674.
6. Bleich A, Dycian A, Koslowsky M, Solomon Z, Wiener M. Psychiatric implications of missile attacks on a civilian population: Israeli lessons from the Persian Gulf War. *Journal of American Medical Association*. 1992;268(5):613-615.
7. Bowler R, Mergler D, Huel G, Cone J. Aftermath of a chemical spill: Psychological and physiological sequelae. *Neurotoxicology*. Fall 1994;15(3):723-729.
8. Boxer P. Occupational mass psychogenic illness: History, prevention and management. *Journal of Occupational Medicine*. Dec. 1985;27(12):867-872.
9. Clauw DJ, Engel CC, Jr., Aronowitz R, et al. Unexplained symptoms after terrorism and war: an expert consensus statement. *Journal of Occupational & Environmental Medicine*. 2003;45(10):1040-1048.
10. Clements CJ. Mass psychogenic illness after vaccination. *Drug Safety*. 2003;26(9):599-604.
11. Cole LA. Bioterrorism threats: learning from inappropriate responses. *J Public Health Manag Pract*. 2000;6(4):8-18.
12. Cole TB, Chorba TL, Horan JM. Patterns of transmission of epidemic hysteria in a school.[see comment]. *Epidemiology*. 1990;1(3):212-218.
13. Colligan M. Mass psychogenic illness: Some clarification and perspectives. *Journal of Occupational Medicine*. Sept. 1981;23(9):635-638.
14. Colligan M, Murphy L. Mass psychogenic illness in organizations: An overview. *Journal of Occupational Psychology*. 1979;52:77-90.

15. Colligan M, Smith M. A methodological approach for evaluating outbreaks of mass psychogenic illness in industry. *Journal of Occupational Medicine*. Jun. 1978;20(6):401-402.
16. Durodie B, Wessely S. Resilience or panic? The public and terrorist attack. *Lancet*. 2002;360(9349):1901-1902.
17. Engel CC, Jr. Outbreaks of medically unexplained physical symptoms after military action, terrorist threat, or technological disaster. *Military Medicine*. 2001;166(12 Suppl):47-48.
18. Engel CC, Jr., Adkins JA, Cowan DN. Caring for medically unexplained physical symptoms after toxic environmental exposures: effects of contested causation. *Environmental Health Perspectives*. 2002;110(Suppl 4):641-647.
19. Faust H, Brilliant L. Is the diagnosis of "mass hysteria" an excuse for incomplete investigation of low-level environmental contamination? *Journal of Occupational Medicine*. Jan. 1981;23(1):22-26.
20. Gallay A, Van Loock F, Demarest S, Van der Heyden J, Jans B, Van Oyen H. Belgian coca-cola-related outbreak: intoxication, mass sociogenic illness, or both? *American Journal of Epidemiology*. 2002;155(2):140-147.
21. Joyce J, Hotopf M, Wessely S. The prognosis of chronic fatigue and chronic fatigue syndrome: a systematic review.[see comment].223-233, 1997 Mar.
22. Chisholm D, Godfrey E, Ridsdale L, et al. Chronic fatigue in general practice: economic evaluation of counselling versus cognitive behaviour therapy.15-18, 2001 Jan.
23. Holloway HC, Norwood AE, Fullerton CS, Engel CC, Jr., Ursano RJ. The threat of biological weapons. Prophylaxis and mitigation of psychological and social consequences. *Jama*. 1997;278(5):425-427.
24. Jones TF, Craig AS, Hoy D, et al. Mass psychogenic illness attributed to toxic exposure at a high school.[see comment]. *New England Journal of Medicine*. 2000;342(2):96-100.
25. Karsenty E, Shemer J, Alshech I, et al. Medical aspects of the Iraqi missile attacks on Israel. *Isr J Med Sci*. 1991;27:603-607.
26. Kawana J, Ishimatsu S, Kanda K. Psycho-physiological effects of the terrorist sarin attack on the Tokyo subway system. *Military Medicine*. 2001;166:23-26.
27. Landauer MR. Physiological and Psychological Impact of Low-Level Radiation: An Overview. *Military Medicine*. 2002;167(Suppl. 1):141-142.
28. Levine RJ. Is the presence of low-level environmental contamination a sufficient excuse for not diagnosing mass hysteria? *Journal of Occupational Medicine*. 1981;23(9):597-599.
29. Moscrop A. Mass hysteria is seen as main threat from bioweapons. *Bmj*. 2001;323(7320):1023.
30. Murakami H. *Underground: The Tokyo gas attack and the Japanese psyche*. New York: Random House; 2000.
31. Okumura T, Suzuki K, Fukuda A, et al. The Tokyo subway sarin attack: Disaster management, Part 2: Hospital response. *Academic Emergency Medicine*. 1998;5(6):618-624.
32. Okumura T, Takasu N, Ishimatsu S, et al. Report on 640 Victims of the Tokyo Subway Sarin Attack. *Ann Em Med*. 1996;28(2):129 - 224.
33. Pastel RH. Collective behaviors: mass panic and outbreaks of multiple unexplained symptoms. *Military Medicine*. 2001;166(12 Suppl):44-46.
34. Quigley C. Dual-edged sword: dealing with the media before, during, and after a weapon of mass destruction event. *Military Medicine*. 2001;166(12 Suppl):56-58.
35. Rifkin A. Mass psychogenic illness attributed to toxic exposure at a high school.[comment]. *New England Journal of Medicine*. 2000;342(22):1674-1675.

36. Romano J, King J. Psychologica and neuropsychological sequelae of chemical terrorism. In: Flora S, Romano J, Baskin S, Sekhar K, eds. *Pharmacological Perspectives of Toxic Chemicals and Their Antidotes*. New Delhi: Narosa Publishing House; 2004:1-11.
37. Taylor BW, Werbicki J. Pseudodisaster: A case of mass hysteria involving 19 school children. *Pediatric Emergency Care*. Aug. 1993;9(4):216-217.
38. Wessely S. Responding to mass psychogenic illness.[comment]. *New England Journal of Medicine*. 2000;342(2):129-130.
39. Wessely S, Wardle C. Mass sociogenic illness by proxy: Parentally reported epidemic in an elementary school. *British Journal of Psychiatry*. 1990;157:421-424.
40. Nanagas KA, Kirk MA. Perceived poisons. *Medical Clinics of North America*. Nov 2005;89(6):1359.
41. Martin-Gill C, Baer AB, Holstege CP, Eldridge DL, Pines J, Kirk MA. Poison centers as information resources for EMS in a suspected chemical exposure. *Journal of Emergency Medicine*. 2007;32(4):397-403.
42. Sandman P. Crisis communication: Guidelines for action. Accessed January 16, 2005, 2005. <http://www.psandman.com/handouts/AIHA-DVD.htm>.
43. US Department of Health and Human Services. *Communicating in a Crisis: Risk Communication Guidelines for Public Health Officials*; 2002. <http://www.riskcommunication.samhsa.gov>.
44. Auf der Heide E. Convergence behavior in disasters. *Ann Emerg Med*. 2003;41(4):463-466.